

Table of Contents

- Firewall** 3
- cPHulk*** 3
- Whitelist Management 3
- Blacklist Management 3
- Host Access Control*** 4
- update_firewall.sh*** 4

Firewall

The cPanel servers make use of various firewalling features

chost.beacontechonology uses Host Access Control to manage the Linux firewall (nftables).

cPHulk

cPHulk is part of cPanel and will ban IPs that log too many login failures. cPHulk does not normally completely firewall off blocked IPs, and instead only blocks them from logging in. This is fixed by a custom script that imports these rules into nftables on a schedule.

cPHulk has a whitelist, blacklist and country management feature. These are managed by the user.

The script that dumps the whitelist and country blacklist, and imports them into nftables.

```
/etc/cron.daily/update_firewall.sh
```

Whitelist Management

In general it is a good idea to whitelist administrative IPs to avoid getting banned.

To do so:

1. Go to WHM > cPHulk Brute Force Protection
2. Click on Whitelist Management tab
3. If logging in from an IP not on the list, there might be a popup with a button that can be pressed to add the current IP to the list.
4. If not, add the IP to the box and put a comment with # character if needed.
5. When done, click "Add"

To remove an IP from the whitelist, just click delete from the same interface.

Additionally, IPs added to the whitelist may be included as administratively allowed IPs in nftables by the `/etc/cron.daily/update_firewall.sh` script.

Blacklist Management

Sometimes the user might be banned, or can't connect to a specific service for some unknown reason. It could be cPHulk blocking them.

To unblock:

1. Go to WHM > cPHulk Brute Force Protection
2. Click on Blacklist Management tab
3. Search for the IP in question, if the IP is unknown, ask the user to go to: ipecho.net and read the

IP back.

4. When the record is located, click "Delete"

Host Access Control

New instructions:

CSF is no longer necessary, a basic firewall solution now comes with cPanel and is called Host Access Control.

Host Access Control provides a basic firewall interface that integrates with Linux nftables.

The current rules can be viewed by going to WHM > Host Access Control

Host Access Control is very basic and does not natively handle expressions like "any port", and so some rules say "undefined" for certain parts. This just means that the rule was manually added to `/etc/sysconfig/nftables.conf`

To Add new rules:

1. edit: `/etc/sysconfig/nftables.conf`
2. Scroll the sections where it says `chain cPanel-HostAccessControl`
3. Please copy an existing rule and edit it to what is needed.
4. When done, save and exit
5. run the command: `systemctl restart nftables.service`
6. When the WHM Host Access Control page is reloaded, the changes should now be reflected.

Also note that rules are dynamically loaded into nftables by `update_firewall.sh`.

update_firewall.sh

This script help managing nftables

[update_firewall.sh](#)

```
#!/bin/bash

# this script extends cpHulk to assist managing nftables.

# country codes selected in CP Hulk will be banned at the IP level
# whitelisted ips will be included as administratively allowed

set -e
trap 'catch $? $LINENO' EXIT

catch() {
    if [ "$1" != "0" ]; then
        echo failed to update firewall rules
    fi
}
```

```
    echo "Error $1 occurred on $2"
  fi
}

geoipdir='/usr/local/cpanel/3rdparty/share/geoipfree/country-cidrs'

whitelist=$(mktemp)
blacklist=$(mktemp)

# get list of CCs that are blocked
cclist=$( whmapil --output=json load_cphulk_config |
          jq -r '.data.cphulk_config.country_blacklist' )

# loop over list and concat all subnets from cpanel free geoip
for i in ${cclist//,/ }; do
  grep -oP '(\d+\.){3}\d+/\d+' $geoipdir/$i | tr '\n' ',' >> $blacklist
done

# write list of whitelist ips to temp file
whmapil --output=json read_cphulk_records list_name='white' |
  jq -r '.data.ips_in_list | keys[]' | grep -oP '(\d+\.){3}\d+' >
$whitelist

# generate new rules for nftables
{
  echo 'flush set inet filter cblockset'
  echo 'flush set inet filter adminwhitelist'

  # create whitelist set
  echo -n 'add element inet filter adminwhitelist { '
  cat $whitelist | tr '\n' ','
  echo ' }'

  # create blacklist set
  echo -n 'add element inet filter cblockset { '
  cat $blacklist | tr '\n' ','
  echo ' }'
} | nft -f -

echo firewall was successfully updated
```

From:
<https://wiki.beacontechonology.com/> - **Guide**

Permanent link:
<https://wiki.beacontechonology.com/doku.php?id=wiki:firewall&rev=1692139557>

Last update: **2023/08/15 22:45**

